Chease type a plus sign (+) inside this box .

FER 1 2 2003

SA CONDEMNO

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Sheet 1 of 6

Complete if Known						
Application Number	09/975,072					
Filing Date	October 12, 2001					
First Named Inventor	Jean-Marc ROCH					
Group Art Unit	1614- 1647					
Examiner Name	Unassigned NICHOLS					
Attorney Docket Number	1600.20 (formerly 2318-368)					

U.S. PATENT DOCUMENTS									
Examiner Initials	Cite No.	U.S Pate Number	nt Documents Kind Code ² (if known)	Name of Patentee or Applicant of Cited Documents	Date of Publication of Cited Document MM-DD-YYYY	Pages, columns, lines, Where Relevant Passages or Relevant Figures Appear			

	· · ·	OTHER PRIOR ART—NON PATENT LITERATURE DOCUMENTS	-
Examiner Initials*	Cite No.	Include name of the author (in CAPITAL LETTERS), little of the article (when appropriate), little of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, volume-issue number(s), page(s), publisher, city and/or country where published	
CON	B1	SHIRHAMA, Tsuranobu, et al., "Senile Cerebral Amyloid: Prealbumin as a Common Constituent in the Neuritic Plaque, in the Neurofibrillary Tangle, and in the Microangiopathic Lesion", <i>Am. J. Pathol.</i> , 1982; 107:40-50	-
	B2	KREBS, E.G., et al., "Casein Kinase II as a Potentially Important Enzyme Concerned with Signal Transduction", <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1988; 53:77-84	-
	В3	IIMOTO, Devin S., et al., "Aberrant casein kinase II in Alzheimer's disease", <i>Brain Research</i> , 1989; 507:273-280	-
	B4	HARRISON, P.J., et al., "Alzheimer's disease: specific increases in a G protein subunit $(G_S\alpha)$ mRNA in hippocampal and cortical neurons", <i>Molecular Brain Research</i> , 1991; 10:71-81	•
	B5	STRICKLAND, Dudley K., et al., "Primary Structure of a_2 -Macroglobulin Receptorassociated Protein: Human Homologue of a Heymann Nephritis Antigen", <i>The Journal of Biological Chemistry</i> , July 15, 1991; 266(20):13364-13369	•
	B6	CHIEN, Cheng-Ting, et al., "The two-hybrid system: A method to identify and clone genes for proteins that interact with a protein of interest", <i>Proc. Natl. Acad. Sci.</i> , November 1991; 88:9578-9582	
	B7	BAUM, Larry, et al., "Casein kinase II is associated with neurofibrillary tangles but is not an intrinsic component of paired helical filaments", <i>Brain Research</i> , 1992; 573:126-132	-
	B8	ASHCROFT, Stephen J.H., et al., "The sulfonylurea receptor", <i>Biochimica et Biophysica Acta</i> , 1992; 1175:45-59	-
	B9	VIRSOLVY-VERGINE, Anne, et al., "Endosulfine, an endogenous peptidic ligand for the sulfonylurea receptor: Purification and partial characterization from ovine brain", <i>Proc. Natl. Acad. Sci.</i> , July 1992; 89:6629-6633	-
-	B10	KIM, Tae-Wan, et al., "Detection of dystrophin in the postsynaptic density of rat brain and deficiency in a mouse model of Duchenne muscular dystrophy", <i>Proc. Natl. Acad. Sci.</i> , December 1992; 89:11642-11644	
	B11	GUNNERSEN, Debra, et al., "Detection of glutamine synthetase in the cerebrospinal fluid of Alzheimer diseased patients: A potential diagnostic biochemical marker", <i>Proc. Natl. Acad. Sci.</i> , December 1992; 89:11949-11953	!
4	B12	SCHULZE, Hermann, et al., "Rat Brain Glyceraldehyde-3-Phosphate Dehydrogenase Interacts with the Recombinant Cytoplasmic Domain of Alzheimer's β-Amyloid Precursor Protein", <i>Journal of Neurochemistry</i> , 1993; 60:1915-1922	
c2/	B13	ETCHEBERRIGARAY, Rene, et al., "Potassium channel dysfunction in fibroblasts identifies patients with Alzheimer disease", <i>Proc. Natl. Acad. Sci.</i> , September 1993; 90:8209-8213	

OPF	Card Card		B14	KORENBERG, Julie R., et al., "Chromosomal Localization of Human Genes for the LDL Receptor Family Member Glycoprotein 330 (LRP2) and Its Associated Protein RAP (LRPAP1)", Genomics, 1994; 22:88-93	
FEB)	1	1	B15	WONG, William T., et al., "Evolutionary conservation of the <i>EPS</i> 8 gene and its mapping to human chromosome 12q23-q24", <i>Oncogene</i> , 1994; 9:3057-3061	
AND TE	17" P ¹ (2)	, S ²⁷	B16	SCHALLER, Michael D., et al., "Focal adhesion kinase and associated proteins", <i>Current Opinion of Cell Biology</i> , 1994; 6:705-710	
			B17	PARSONS, J. Thomas, et al., "Focal adhesion kinase: structure and signaling", Journal of Cell Science, 1994; 18:109-113	
			-B18	NONAKA, Ikuya, "Musele pathologie diagnosis – Mochanism in musele fiber degeneration", <i>Rinsho Shinkeigaku</i> , 1994; 34:1279-1281	
·			B19	SCHWARZMAN, Alexander L., et al., "Transthyretin sequesters amyloid β protein and prevents amyloid formation", <i>Proc. Natl. Acad. Sci.</i> , August 1994; 91:8368-8372	
			B20	ZHANG, Chi, et al., "Focal Adhesion Kinase Expressed by Nerve Cell Lines Shows Increased Tyrosine Phosphorylation in Response to Alzheimer's A β Peptide", <i>The Journal of Biological Chemistry</i> , October 14, 1994; 269(4):25247-25250	
			B21	MULLER, D., et al., "A Genetic Deficiency in Calpastatin and Isovalerylcarnitine Treatment Is Associated With Enhanced Hippocampal Long-Term Potentiation", Synapse, 1995; 19:37-45	_
			B22	BRASELMANN, Sylvia, et al., "BCR and RAF form a complex in vivo via 14-3-3 proteins", The EMBO Journal; 1995; 14(19):4839-4848	
			B23	LEUVEN, F. Van., et al., "Cloning, Characterization, and Chromosomal Localization to 4p16 of the Human Gene (LRPAP1) Coding for the α ₂ -Macroglobulin Receptor-Associated Protein and Structural Comparison with the Murine Gene Coding for the 44-kDa Heparin-Binding Protein", <i>Genomics</i> , 1995; 25:492-500	
			B24	CHRISTIE, MacDonald J., "Molecular And Functional Diversity Of K ⁺ Channels", <i>Clinical and Experimental Pharmacology and Physiology</i> , 1995; 22:944-951	
			B25	DIEKMANN, Dagmar, et al., "Rac GTPase interacts with GAPs and target proteins through multiple effector sites", <i>The EMBO Journal</i> , 1995; 14(21):5297-5305	
			B26	WILLNOW, Thomas E., et al., "Functional expression of low density lipoprotein receptor-related protein is controlled by receptor-associated protein in vivo", Proc. Natl. Acad. Sci., May 1995; 92:4537-4541	
			B27	KOUNNAS, Maria Z., et al., "Identification of Glycoprotein 330 as an Endocytic Receptor for Apolipoprotein J/Clusterin", <i>The Journal of Biological Chemistry</i> , June 2, 1995; 270(22):13070-13075	
			B28	KORNAU, Hans-Christian, et al., "Domain interaction between NMDA receptor subunits and the postsynaptic density protein PSD-95", <i>Science</i> , September 22, 1995; 269:1737-1740	
			B29	INAGAKI, Nobuya, et al., "Reconstitution of I _{KATP} : An inward rectifier subunit plus the sulfonylurea receptor", <i>Science</i> , November 17, 1995; 270:1166-1170	
			B30	MARK, Robert J., et al., "Amyloid β-Peptide and Oxidative Cellular Injury in Alzheimer's Disease", <i>Molecular Neurobiology</i> , 1996; 12(3):211-224	
			B31	AKSENOV, M.Y., et al., "Glutamine Synthetase-Induced Enhancement of β -Amyloid Peptide A β (1-40) Neurotoxicity Accompanied by Abrogation of Fibril Formation and A β Fragmentation", Journal of Neurochemistry, 1996; 66:2050-2056	_
			B32	LAWSON, Kim, "Is there a therapeutic future for 'potassium channel openers'?, Clinical Science, 1996; 91:651-663	
			B33	GOODMAN, Yadong, et al., "K ⁺ channel openers protect hippocampal neurons against oxidative injury and amyloid β-peptide toxicity", <i>Brain Research</i> , 1996; 706:328-332	
			В34	ASHCROFT, Frances M., "Mechanisms of the Glycaemic Effects of Sulfonylureas", Horm. Metab., 1996; 28:456-463	
	V	/	B35	MARIN, Oriano, et al., "Phosphotyrosine Specifies the Phosphorylation by Protein Kinase CK2 of a Peptide Reproducing the Activation Loop of the Insulin Receptor Protein Tyrosine Kinase", <i>Int. J. Biochem. Cell.</i> , 1996; 28(9):999-1005	
	CJ	کر	B36	LAWSON, Kim, "Potassium Channel Activation: A Potential Therapeutic Approach", Pharmacol. Ther., 1996; 70(1):39-63	

يترا س	er my			
(6 h	JC;			
FER	2 200	B37	WILLNOW, Thomas E., et al., "RAP, a specialized chaperone, prevents ligand-induced ER retention and degradation of LDL receptor-related endocytic receptors", <i>The EMBO Journal</i> , 1996; 15(11):2632-2639	
BINT.	III HE SHE	B38	LAUBE, Gregor, et al., "Ultrastructural localization of <i>Shaker</i> -related potassium channel subunits and synapse-associated protein 90 to septate-like junctions in rat cerebellar Pinceaux", <i>Molecular Brain Research</i> , 1996; 42:51-61	
		B39	MASLIAH; Eliezer, et al., "Altered Presynaptic Protein NACP Is Associated with Plaque Formation and Neurodegeneration in Alzheimer's Disease", <i>American Journal of Pathology</i> , January 1996; 148(1):201-210	
		B40	ZLOKOVIC, Berislav V., et al., "Glycoprotein 330/megalin: Probable role in receptor-mediated transport of apolipoprotein J alone and in a complex with Alzheimer disease amyloid β at the blood-brain and blood-cerebrospinal fluid barriers", <i>Proc. Natl. Acad. Sci.</i> , April 1996; 93:4229-4234	
:		B41	DE BLEECKER, JAN L., et al., "Myofibrillar Myopathy with Abnormal Foci of Desmin Positivity. II. Immunocytochemical Analysis Reveals Accumulation of Multiple Other Proteins", Journal of Neuropathology and Experimental Neurology, May 1996; 55(5):563-577	
		B42	DEBANT, Anne, "The multidomain protein Trio binds the LAR transmembrane tyrosine phosphatase, contains a protein kinase domain, and has separate rac-specific and rhospecific guanine nucleotide exchange factor domains", <i>Proc. Natl. Acad. Sci.</i> , May 1996; 93:5466-5471	
		B43	NAKAGAWA, Tamotsu, et al., "Cloning, Expression, and Localization of 230-kDa Phosphatidylinositol 4-Kinase", <i>The Journal of Biological Chemistry</i> , May 17, 1996; 271(20):12088-12094	
		B44	MULLER, Bettina M., et al., "SAP102, a Novel Postsynaptic Protein That Interacts with NMDA Receptor Complexes In Vivo", <i>Neuron</i> , August 1996; 17:255-265	
•		B45	LAU, Lit-Fui, et al., "Interaction of the <i>N</i> -Methyl-D-aspartate Receptor Complex with a Novel Synapse-associated Protein, SAP102", <i>The Journal of Biological Chemistry</i> , August 30, 1996; 271(35):21622-21628	
		B46	WILLIAMSON, Timothy G., et al., "Secreted Glypican Binds to the Amyloid Precursor Protein of Alzheimer's Disease (APP) and Inhibits APP-induced Neurite Outgrowth", <i>The Journal of Biological Chemistry</i> , December 6, 1996; 271(49):31215-31221	
		B47	GARBAY, Bertrand, et al., "Acetyl-CoA carboxylase gene expression in the developing mouse brain. Comparison with other genes involved in lipid biosynthesis", <i>Developmental Brain Research</i> , 1997; 98:197-203	
		B48	BUTTERFIELD, D. Allan, "β-Amyloid-Associated Free Radical Oxidative Stress and Neurotoxicity: Implications for Alzheimer's Disease", <i>Chem. Res. Toxicol.</i> , 1997; 10:495-506	_
•		B49	ZACHARY, Ian, "Focal Adhesion Kinase", Int. J. Biochem. Cell Biol., 1997; 29(7):929-934	
		B50	WHITEHOUSE, Peter J., "Genesis of Alzheimer's disease", <i>Neurology</i> , 1997; 48(7):S2-S7	
		B51	LEVEUGLE, B., et al., "Heparin Promotes β-Secretase Cleavage Of The Alzheimer's Amyloid Precursor Protein", <i>Neurochem. Int.</i> , 1997; 30(6):543-548	_
		B52	STATHAKIS, Dean G., et al., "Human Postsynaptic Density-95 (PSD95): Location of the Gene (<i>DLG4</i>) and Possible Function in Nonneural as Well as in Neural Tissues", <i>Genomics</i> , 1997; 44:71-82	
		B53	AKSENOV, Michael Y., et al., "Oxidative Modification of Glutamine Synthetase by Amyloid Beta Peptide", Free Rad. Res., 1997; 27(3):267-281	_
		B54	BERG, Margaret M., et al., "Rapid impact of β-amyloid on paxillin in a neural cell line", Journal of Neuroscience Research, 1997; 50:979-989	_
		B55	JAN, Lily Yeh, et al., "Receptor-regulated ion channels", Current Opinion in Cell Biology, 1997; 9:155-160	
	V	B56	SCHALLER, Michael D., "Signaling through the Focal Adhesion Kinase", Soc. Gen. Physiol. Ser., 1997; 52:241-255	
	agis	B57	INAGAKI, Nobuya, et al., "Subunit stoichiometry of the pancreatic β -cell ATP-sensitive K* channel", <i>FEBS Letter</i> , 1997; 409:232-236	一

JOF F	JCTO			
(FER)	THE WAY	B58	LAURITZEN, Inger, et al., "The Potassium Channel Opener (–)-Cromakalim Prevents Glutamate-Induced Cell Death in Hippocampal Neurons", <i>Journal of Neurochemistry</i> , 1997; 69:1570-1579	_
September 1	B59		HOLM, Ninna R., et al., "Activation of calcium-dependent potassium channels in rat brain neurons by neurotrophin-3 and nerve growth factor", <i>Proc. Natl. Acad. Sci.</i> , February 1997; 94:1002-1006	4
		B60	ORLANDO, Robert A., et al., "Identification of the second cluster of ligand-binding repeats in megalin as a site for receptor-ligand interactions", <i>Proc. Natl. Acad. Sci.</i> , March 1997; 94:2368-2373	_
		B61	DI ROCCO, Giuliana, et al., "Interplay of the E Box, the Cyclic AMP Response Element, and HTF4/HEB in Transcriptional Regulation of the Neurospecific, Neurotrophin-Inducible vgf Gene", Molecular and Cellular Biology, March 1997; 17(3):1244-1253	_
		B62	DUNCAN, Elizabeth A., "Cleavage Site for Sterol-regulated Protease Localized to a Leu-Ser Bond in the Lumenal Loop of Sterol Regulatory Element-binding Protein-2", The Journal of Biological Chemistry, May 9, 1997; 272(19):12778-12785	
		B63	LAFERLA, Frank M., et al., "Neuronal Cell Death in Alzheimer's Disease Correlates with apoE Uptake and Intracellular A \beta Stabilization", <i>J. Clin. Invest.</i> , July 1997; 100(2):310-320	_
		B64	MATTSON, Mark P., "Cellular Actions of β-Amyloid Precursor Protein and Its Soluble and Fibrillogenic Derivatives", <i>Physiological Reviews</i> , October 1997; 77(4):1081-1132	_
		B65	RAWSON, Robert B., et al., "Complementation Cloning of S2P, a Gene Encoding a Putative Metalloprotease Required for Intramembrane Cleavage of SREBPs", Molecular Cell, December 1997; 1:47-57	
•		B66	KITAMURA, Yoshihisa, et al., "Alteration of proteins regulating apoptosis, Bcl-2, Bcl-x, Bax, Bak, Bad, ICH-1 and CPP32, in Alzheimer's disease", <i>Brain Research</i> , 1998; 780:260-269	-
·		B67	MERCHED, Aksam, et al., "Apolipoprotein E, transthyretin and actin in the CSF of Alzheimer's patients: relation with the senile plaques and cytoskeleton biochemistry", FEBS Letters, 1998; 425:225-228	
		B68	INAGAKI, Nobuya, et al., "ATP-Sensitive Potassium Channels: Structures, Functions, and Pathophysiology", <i>Japanese Journal of Physiology</i> , 1998; 48:397-412	_
		B69	LOVELL, M.A., et al., "Decreased glutathione transferase activity in brain and ventricular fluid in Alzheimer's disease", <i>Neurology</i> , 1998; 51:1562-1566	
		B70	SCHULZ, Joachim G., et al., "Evidence that glypican is a receptor mediating β-amyloid neurotoxicity in PC12 cells", <i>European Journal of Neuroscience</i> , 1998; 10:2085-2093	\pm
		B71	XIE, Chengsong, et al., "Glutathione Transferase Protects Neuronal cultures Against Four Hydroxynonenal Toxicity", <i>Free Radical Biology & Medicine</i> , 1998; 25(8):979-988	_
		B72	GARBAY, Bertrand, et al., "Regulation of Oleoyl-CoA Synthesis in the Peripheral Nervous System: Demonstration of a Link with Myelin Synthesis", <i>Journal of Neurochemistry</i> , 1998; 71:1719-1726	
		B73	KELLER, Jeffery N., et al., "Roles of Lipid Peroxidation in Modulation of Cellular Signaling Pathways, Cell Dysfunction, and Death in the Nervous System", <i>Review in the Neuroscience</i> , 1998; 9(2):105-116	•
		B74	SUGAYA, K., et al., "Septo-Hippocampal Cholinergic and Neurotrophin Markers in Age-Induced Cognitive Decline", <i>Neurobiology of Aging</i> , 1998; 19(4):351-361	
		B75	SNYDER, S.E., et al., "The Messenger RNA Encoding VGF, A Neuronal Peptide Precursor, Is Rapidly Regulated In The Rat Central Nervous System By Neuronal Activity, Seizure and Lesion", <i>Neuroscience</i> , 1998; 82(1):7-19	_
		B76	JAFFREY, Samie R., "CAPON: A Protein Associated with Neuronal Nitric Oxide Synthase that Regulates Its Interactions with PSD95", <i>Neuron</i> , January 1998; 20:115-124	1
	V	B77	HUGHES, Stephen R., "α₂-macroglobulin associates with β-amyloid peptide and prevents fibril formation", <i>Proc. Natl. Acad. Sci.</i> , March 1998; 95:3275-3280	_
	C211	B78	KIM, Jee Hae, et al., "SynGAP: a Synaptic RasGAP that Associates with the PSD-95/SAP90 Protein Family", Neuron, April 1998; 20:683-691	

VC YOO			
	B79	NEVILLE, Oralg M., et al., "The E Protein CTF4 and Acetylcholine Receptor Expression in Development and Denervation Supersensitivity", <i>The Journal of Biological Chemistry</i> , May 29, 1998; 273(22):14046-14052	
C. Carol	B80	BORG, Jean-Paul, et al., "The X11 α Protein Slows Cellular Amyloid Precursor Protein Processing and Reduces A β 40 and A β 42 Secretion", <i>The Journal of Biological Chemistry</i> , June 12, 1998; 273(24):14761-14766	
	B81	RAFAEL, Jill A., et al., "Localization of Dlg at the mammalian neuromuscular junction", NeuroReport, 1998; 9:2121-2125	
	B82	HERON, Lisa, et al., "Human α -endosulfine, a possible regulator of sulfonylurea-sensitive K _{ATP} channel: Molecular cloning, expression and biological properties", <i>Proc. Natl. Acad. Sci.</i> , July 1998; 95:8387-8391	
	B83	SAKAI, Juro, et al., "Molecular Identification of the Sterol-Regulated Luminal Protease that Cleaves SREBPs and Controls Lipid Composition of Animal Cells", <i>Molecular Cell</i> , October 1998; 2:505-514	_
	B84	ZAWAR, C., et al., "Cell-type specific expression of ATP-sensitive potassium channels in the rat hippocampus", <i>Journal of Physiology</i> , 1999; 514.2:327-341	
	B85	KONG, Jiming, et al., "Dystrophin is required for organizing large acetylcholine receptor aggregates", <i>Brain Research</i> , 1999; 839:298-304	
	B86	GIRAULT, Jean-Antoine, et al., "FAK and PYK2/CAKβ in the nervous system: a link between neuronal activity, plasticity and survival?", <i>Trends Neurosci.</i> , 1999; 22:257-263	
	B87	BACHURIN, S., et al., "N-Acetylserotonin, Melatonin and Their Derivatives Improve Cognition and Protect against β-Amyloid-Induced Neurotoxicity", Annals New York Academy of Sciences, 1999; 890:155-166	
	B88	SCHLAEPFER, David D., et al., "Signaling through focal adhesion kinase", <i>Progress in Biophysics & Molecular Biology</i> , 1999; 71:435-478	_
	B89	BRYAN, Joseph, et al., "Sulfonylurea receptors: ABC transporters that regulate ATP-sensitive K ⁺ channels", <i>Bjochimica et Bjophysica Acta</i> , 1999; 1461:285-303	
	B90	SEIDAH, Nabil G., et al., "The Subtilisin/Kexin Family of Precursor Convertases. Emphasis on PC1, PC2/7B2, POMC and the Novel Enzyme SKI-1", <i>Annals New York Academy of Sciences</i> , 1999; 885:57-74	
	B91	SEIDAH, Nabil G., et al., "Mammalian subtilisin/kexin isozyme SKI-1: A widely expressed proprotein convertase with a unique cleavage specificity and cellular localization", <i>Proc. Natl. Acad. Sci.</i> , February 1999; 96:1321-1326	
	B92	WANG, Li-Hsien, et al., "A PDZ Protein Regulates the Distribution of the Transmembrane Semaphorin, M-SemF", <i>The Journal of Biological Chemistry</i> , May 14, 1999; 274(20):14137-14146	
	B93	JOHNSTON, Holly, et al., "Identification of a Novel SNF2/SWI2 Protein Family Member, SRCAP, Which Interacts with CREB-binding Protein", <i>The Journal of Biological Chemistry</i> , June 4, 1999; 274(23):16370-16376	
	B94	TAMURA, Masahito, et al., "PTEN Interactions with Focal Adhesion Kinase and Suppression of the Extracellular Matrix-dependent Phosphatidylinositol 3-Kinase/Akt Cell Survival Pathway", <i>The Journal of Biological Chemistry</i> , July 16, 1999; 274(29):20693-20703	
	B95	BROWN, Michael S., et al., "A proteolytic pathway that controls the cholesterol content of membranes, cells, and blood", <i>Proc. Natl. Acad. Sci.</i> , September 1999; 96:11041-11048	
	B96	NOHTURFFT, Axel, et al., "Sterols regulate cycling of SREBP cleavage-activating protein (SCAP) between endoplasmic reticulum and Golgi", <i>Proc. Natl. Acad. Sci.</i> , September 1999; 96:11235-11240	
	B97	MARIN, Oriano, et al., "Tyrosine <i>Versus</i> Serine/Threonine Phosphorylation by Protein Kinase Casein Kinase-2", <i>The Journal of Biological Chemistry</i> , October 8, 1999; 274(41):29260-29265	
	B98	HOFFMAN, Eric P., "Muscular Dystrophy: Identification and Use of Genes for Diagnostics and Therapeutics", <i>Arch. Pathol. Lab. Med.</i> , November 1999; 123:1050-1052	
A	B99	OZAKI, Toshinori, et al., "Cloning and Characterization of Rat BAT3 cDNA", DNA and Cell Biology, November 6, 1999; 18:503-512	
600	B100	TAGAKI, Norio, et al., "Altered Interaction Between PSD-95 and the NMDA Receptor Following Transient Global Ischemia", <i>Journal of Neurochemistry</i> , 2000; 74:169-178	

		· · · · · · · · · · · · · · · · · · ·	
	Эв101	ZAWAR, C., et al., "Differential activation of ATP-sensitive potassium channels during energy depletion in CA1 pyramidal cells and interneurones of rat hippocampus", <i>Pflugers Arch - Eur. J. Physiol.</i> , 2000; 439:256-262	_
10 = 11 × 10	B102	LANIER, Lorene M., et al., "From Abl to actin: Abl tyrosine kinase and associated proteins in growth cone motility", <i>Current Opinion in Neurobiology</i> , 2000; 10:80-87	
	B103	LIN, Yu-Fung, et al., "Regulation of ATP-sensitive potassium channel function by protein kinase A-mediated phosphorylation in transfected HEK293 cells", <i>The EMBO Journal</i> , 2000; 19(5):942-955	
	B104	NEHRING, Ralf B., "Neuronal Inwardly Rectifying K* Channels Differentially Couple to PDZ Proteins of the PSD-95/SAP90 Family", <i>The Journal of Neuroscience</i> , January 1, 2000; 20(1):156-162	
	B105	SANS, Nathalie, et al., "A Developmental Change in NMDA Receptor-Associated Proteins at Hippocampal Synapses", <i>The Journal of Neuroscience</i> , February 1, 2000; 20(3):1260-1271	
	B106	YE, Jin, et al., "Asparagine-proline sequence within membrane-spanning segment of SREBP triggers Intramembrane cleavage by Site2 protease", <i>PNAS</i> , May 9, 2000; 97(10):5123-5128	
	B107	LIU, Ya Fang, et al., "Activation of MLK2-mediated Signaling Cascades by Polyglutamine-expanded Huntingtin", <i>The Journal of Biological Chemistry</i> , June 23, 2000; 275(25):19035-19040	
	B108	PARK, Shin-Young, et al., "Characterization of the Tyrosine Kinases RAFTK/Pyk2 and FAK in Nerve Growth Factor-induced Neuronal Differentiation", <i>The Journal of Biological Chemistry</i> , June 30, 2000; 275(26):19768-19777	

Examiner	Date	
Signature	Considered	

\\Mgint2\\Snared Folder-Ail\Intellectual Property\Patent Prosecution\1600-1699\1600\1600.20\1600.20 2003-01-24 IDS MM.doc